

ThinkCentre M920z AIO 10S6003HGE

Product

ThinkCentre M920z AIO

Region

WE

Country/Region

Germany

Machine Type

10S6

TopSeller

TopSeller

Processor

Intel Core i5-9500 (6C / 6T, 3.0 / 4.4GHz, 9MB)

Chipset

Intel Q370 Chipset

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 8GB DDR4-2666

Storage

1x 256GB SSD M.2 2280 PCIe x4 NVMe Opal

Optane Memory

None

Optional Bay

None

Front Access HDD

None

Optical

DVD±RW

Media Reader

3-in-1 Card Reader

Display

23.8" FHD (1920x1080) In-Plane Switching Technology Anti-glare

Touchscreen

10-point Multi-touch

Microphone

2x, Array

Camera

1080p

Speaker

3Wx2

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel 9560 11ac, 2x2 + BT5.0, vPro

Optional Rear Ports

None

Chassis Intrusion Switch

Chassis Intrusion Switch

Chassis E-Lock

None

Kensington Cable Lock

None

Dust Filter

None

VESA Mount

VESA mount

Carry Handle

None

Color

Black

Stand

UltraFlex III Stand

Keyboard

USB Traditional Keyboard, Black, German

Mouse

USB Calliope Mouse

Power Supply

150W 90% Adapter

TUV Low Noise

TUV Ultra Low Noise

Monitor Cable

None

System Management

Intel vPro

Operating System

Windows 10 Pro 64, German

Bundled Software

None

Base Warranty

3-year, Onsite

Bundled Service

None

EAN / UPC / JAN

0193638482109

End of Support

2025-08-02

Announce Date

2019-07-02

Recommended Services**Better**

4Y Premier Support upgrade from 3Y Onsite (5WS0V08524)

Good

3Y Premier Support upgrade from 3Y Onsite (5WS0V08537)



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.



Lenovo™

ThinkCentre M920z Platform Specifications

Product Specifications Reference (PSREF)

Processor	Intel® Celeron®, Intel Pentium®, or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 series						Audio support	High Definition (HD) Audio, Realtek ALC233 / two internal speakers (3W x 2), Dolby® Audio™ Premium																										
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	WLAN	<i>Some:</i> 11ac Wi-Fi + BT 4.2, M.2 Card, Realtek RTL8821CE (dual band), 1x1 <i>Some:</i> 11ac Wi-Fi + BT 4.2, M.2 Card, Realtek RTL8822BE (dual band), 2x2 <i>Some:</i> 11ac Wi-Fi + BT 4.2, M.2 Card, Intel Dual Band Wireless-AC 3165, 1x1 <i>Some:</i> 11ac Wi-Fi + BT 4.2, M.2 Card, Intel Dual Band Wireless-AC 8265,, 2x2 <i>Some:</i> 11ac Wi-Fi + BT 5.0, M.2 Card, Intel Wireless-AC 9560 (dual band), Intel vPro technology support, 2x2																										
	Celeron G4900	2 / 2	3.1G	2 MB	DDR4-2400	UHD 610	Bluetooth™ Ethernet	<i>Some:</i> Bluetooth 4.2/5.0 wireless, integrated in Wi-Fi + BT combo adapter Gigabit ethernet, Intel Ethernet Connection I219-LM (Jacksonville), Wake on LAN®																										
	Celeron G4920	2 / 2	3.2G	2 MB	DDR4-2400	UHD 610																												
	Celeron G4930	2 / 2	3.2G	2 MB	DDR4-2400	UHD 610	Manageability	Intel Active Management Technology 12.0 (Intel AMT 12.0); Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection)																										
	Celeron G4950	2 / 2	3.3G	2 MB	DDR4-2400	UHD 610																												
	Pentium Gold G5400	2 / 4	3.7G	4 MB	DDR4-2400	UHD 610	Security chip	Discrete TPM 2.0, TCG Certified																										
	Pentium Gold G5420	2 / 4	3.8G	4 MB	DDR4-2400	UHD 610																												
	Pentium Gold G5500	2 / 4	3.8G	4 MB	DDR4-2400	UHD 630	Security features	• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis) • Smart USB protection, allows keyboard/ mouse only, blocks all storage devices																										
	Pentium Gold G5600	2 / 4	3.9G	4 MB	DDR4-2400	UHD 630																												
	Pentium Gold G5620	2 / 4	4.0G	4 MB	DDR4-2400	UHD 630	Keyboard	• Power-on, admin, hard disk password • Boot sequence control • Boot without keyboard and mouse • Individual USB port disablement • Optional Chassis intrusion switch																										
	Core i3-8100	4 / 4	3.6G	6 MB	DDR4-2400	UHD 630																												
	Core i3-8300	4 / 4	3.7G	8 MB	DDR4-2400	UHD 630	Mouse	<i>Some:</i> Lenovo Calliope Keyboard (USB connector), black <i>Some:</i> Lenovo Traditional Keyboard (USB connector), black <i>Some:</i> Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black <i>Some:</i> Lenovo Calliope Mouse (USB connector), black <i>Some:</i> Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black <i>Some:</i> Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black																										
	Core i5-8400	6 / 6	2.8G / 4.0G	9 MB	DDR4-2666	UHD 630																												
	Core i5-8500	6 / 6	3.0G / 4.1G	9 MB	DDR4-2666	UHD 630	Mechanical	• Business black color • Toolless back cover, stand, disk, memory removal • Support VESA mount (100mm)																										
	Core i5-8600	6 / 6	3.1G / 4.3G	9 MB	DDR4-2666	UHD 630																												
	Core i7-8700	6 / 12	3.2G / 4.6G	12 MB	DDR4-2666	UHD 630																												
	Core i3-9100	4 / 4	3.6G / 4.2G	6 MB	DDR4-2400	UHD 630																												
	Core i3-9300	4 / 4	3.7G / 4.3G	8 MB	DDR4-2400	UHD 630																												
	Core i5-9400	6 / 6	2.9G / 4.1G	9 MB	DDR4-2666	UHD 630																												
	Core i5-9500	6 / 6	3.0G / 4.4G	9 MB	DDR4-2666	UHD 630																												
	Core i5-9600	6 / 6	3.1G / 4.6G	9 MB	DDR4-2666	UHD 630																												
	Core i7-9700	8 / 8	3.0G / 4.7G	12 MB	DDR4-2666	UHD 630																												
	Core i9-9900	8 / 16	3.1G / 5.0G	16 MB	DDR4-2666	UHD 630																												
Memory	32GB max (16GB SO-DIMM only available via special bid models), DDR4-2666*, two 260-pin SO-DIMM sockets, dual-channel capable * System clocks down for the processors with lower memory controller																																	
Storage	<i>Some:</i> Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm, supports up to two HDDs (2nd HDD occupies ODD bay), RAID0/1 support (RAID preset only available via special bid model) <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" <i>Some:</i> M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4 <i>Some:</i> Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2 <i>Some:</i> DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm) <i>Some:</i> DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm) Optional 3-in-1 media card reader						<table><tr><th>Dimensions (WxDxH)</th><th>Max weight (lb / kg)</th><th>Adjustments</th></tr><tr><td colspan="3">Without stand (No camera)</td></tr><tr><td>21.3 X 1.8 X 13.7 (inch) 542 X 46 X 349 (mm)</td><td>(Touch) 14.0 / 6.34 (Non-touch) 13.5 / 6.13</td><td>N/A</td></tr><tr><td colspan="3">With Full Function Monitor stand (No camera):</td></tr><tr><td>21.3 X 9.9 X 15.9 to 20.2 (inch) 542 X 252 X 405 to 514 (mm)</td><td>(Non-touch) 18.2 / 8.26</td><td>Tilt: 45° back, -5° forward; Lift: 110mm; Swivel: +/-45°</td></tr><tr><td colspan="3">With UltraFlex III stand (No camera):</td></tr><tr><td>21.3 X 9.9 X 14.3 to 17.5 (inch) 542 X 252 X 363 to 444 (mm)</td><td>(Touch) 19.7 / 8.94 (Non-touch) 19.2 / 8.73</td><td>Tilt: 70° back, -5° forward; Lift: up to 136mm (flat mode) / up to 81mm (vertical mode); Swivel: +/-45°</td></tr><tr><td colspan="3">Note: Camera adds 22mm in height (Vertical)</td></tr></table>				Dimensions (WxDxH)	Max weight (lb / kg)	Adjustments	Without stand (No camera)			21.3 X 1.8 X 13.7 (inch) 542 X 46 X 349 (mm)	(Touch) 14.0 / 6.34 (Non-touch) 13.5 / 6.13	N/A	With Full Function Monitor stand (No camera):			21.3 X 9.9 X 15.9 to 20.2 (inch) 542 X 252 X 405 to 514 (mm)	(Non-touch) 18.2 / 8.26	Tilt: 45° back, -5° forward; Lift: 110mm; Swivel: +/-45°	With UltraFlex III stand (No camera):			21.3 X 9.9 X 14.3 to 17.5 (inch) 542 X 252 X 363 to 444 (mm)	(Touch) 19.7 / 8.94 (Non-touch) 19.2 / 8.73	Tilt: 70° back, -5° forward; Lift: up to 136mm (flat mode) / up to 81mm (vertical mode); Swivel: +/-45°	Note: Camera adds 22mm in height (Vertical)		
Dimensions (WxDxH)	Max weight (lb / kg)	Adjustments																																
Without stand (No camera)																																		
21.3 X 1.8 X 13.7 (inch) 542 X 46 X 349 (mm)	(Touch) 14.0 / 6.34 (Non-touch) 13.5 / 6.13	N/A																																
With Full Function Monitor stand (No camera):																																		
21.3 X 9.9 X 15.9 to 20.2 (inch) 542 X 252 X 405 to 514 (mm)	(Non-touch) 18.2 / 8.26	Tilt: 45° back, -5° forward; Lift: 110mm; Swivel: +/-45°																																
With UltraFlex III stand (No camera):																																		
21.3 X 9.9 X 14.3 to 17.5 (inch) 542 X 252 X 363 to 444 (mm)	(Touch) 19.7 / 8.94 (Non-touch) 19.2 / 8.73	Tilt: 70° back, -5° forward; Lift: up to 136mm (flat mode) / up to 81mm (vertical mode); Swivel: +/-45°																																
Note: Camera adds 22mm in height (Vertical)																																		
Optical							Power supply 150 watts, autosensing, 90% PSU																											
Media reader	Optional 3-in-1 media card reader						Limited warranty ³ <i>Some:</i> 1-year or 3-year, depot repair service / service upgrades available <i>Some:</i> 1-year or 3-year, limited onsite service / service upgrades available																											
Graphics	Intel HD Graphics 610/630 in processor, uses main memory, DirectX® 12, external monitor support via DisplayPort™; Max resolution: 4096x2304 (DP) @60Hz, 1920x1080 (Panel) @60Hz 23.8" (604.5mm) Full HD 1080p (1920x1080) TFT color , Borderless design, In-Plane Switching technology (In-Plane Switching may refer to IPS, PLS, ADS, AHVA, and AA), wide viewing angle (+/- 89°), LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio, anti-glare, support Low Blue Light Mode, work as stand-alone monitor via DisplayPort (DP in / out combo)						Preload Preloaded operating system <i>Some:</i> Windows 10 Pro 64-bit <i>Some:</i> Windows 10 Home 64-bit Preloaded applications (only some listed) • Lenovo Vantage • Microsoft Office preloaded; purchase a product key to activate • Cyberlink PowerDVD (only for models with DVD / DVD±RW) • Cyberlink Power2GO (only for models with DVD±RW) • LinkedIn																											
Display	Optional multi-touch, supports 10-point, AIT (Advanced In-cell Touch) technology <i>Some:</i> 1080p camera, with dual microphone, LED indicator, physical switch on/off, supports multi-degree rotation (horizontal 0° to 180°, vertical -25° to 25°) <i>Some:</i> RGBIR camera, 1080p, with dual microphone, physical switch on/off, supports multi-degree rotation (horizontal 0° to 180°, vertical -25° to 25°) Windows Hello support, only available via special bid models						Environment ENERGY STAR® 7.0*, EPEAT™ Silver rating* (*not for non-OS models), ErP Lot 3, TCO AIO Computer certified, GREENGUARD® certified, TUV Eye comfort certified, TUV Low Blue Light certified, TUV Ultra Low Noise certified (on some models), RoHS-compliant																											
Multi-touch Camera	Physical buttons on side for microphone mute and power on/off						MIL-SPEC test MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus)																											
Controls	Intel Q370 Chipset						Accessories For compatible accessories, please go to http://smartfind.lenovo.com																											
Chipset	Four USB 3.1 Gen1 (one supports Smart Power On), one ethernet (RJ-45), one DisplayPort in/out combo port, one optional serial (9-pin)																																	
Rear ports*	one USB 3.1 Gen2 (one is Always On and fast charge), one USB 3.1 Gen1, one USB 3.1 Type-C Gen 1, one optional card reader, one headphone / microphone combo jack (3.5mm)																																	
Side ports*	* Depending on many factors, actual data transfer speed may be lower than theoretical speed Two M.2 Card slots (one for WLAN, one for SSD/Optane)																																	
M.2 card slot																																		

Note: The specifications above may not be available in all regions.

Lenovo, June 2019

Lenovo

ThinkCentre M920z AIO

Lenovo™

